

**AMERICAN INTERNATIONAL INDUSTRIES**2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924**MATERIAL SAFETY DATA SHEET****PRODUCT NAME:** Body Drench Quick Tan **DATE:** 12/8/2003
ITEM: 20653 **REV.** NEW**Section 1. Material Identification and Information****Hazardous Ingredients:**

Component	CAS #	%	TOXICOLOGICAL DATA
Dimethyl Ether	115-10-6	40.00	None Established
Alcohol Denat.	64-17-5	20.40	1000ppm PEL*

*Permissible Exposure Limit

Section 2. Physical / Chemical Characteristics

Boiling Point:	N/A	Specific Gravity:	0.96
Vapor Pressure: (PSIG @ 70°F)	87 (for propellant)		(prior to addition of propellant)
Vapor Density:	2.4 (for propellant)	Melting Point:	N/A
Solubility in Water:	Soluble	Evaporation Rate:	N/A
Appearance:	Think Brown Liquid Spray	Water Reactive:	N/A
Odor:	Vanilla	Volatiles:	92%
			(by weight)

Section 3. Fire and Explosion Hazard Data

Flash Point and Method Used:	< 73°F (Tag Closed Cup)
Flammability Classification:	Extremely Flammable
Extinguisher Media:	Use water spray or mist, dry chemical, or carbon dioxide
Fire and Explosion Hazards:	Keep containers cool and away from flames, and sources of ignition. Do not crush or puncture containers. Closed containers exposed to excessive heat may rupture.
Special Fire Fighting Procedures:	Confine to immediate area; disperse vapor if spill occurs; shut off source. Wear full bunker gear while controlling fire in confined areas.

Section 4. Reactivity Hazard Data

Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: Heat, sparks, flame, strong acids and contact with strong oxidizing agents.

Hazardous Decomposition:
Excessive heat may cause Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds to be released. Asphyxiation by displacement may occur.

Hazardous Polymerization:

May Occur Will Not Occur

**AMERICAN INTERNATIONAL INDUSTRIES**2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME:	Body Drench Quick Tan	DATE:	12/8/2003
ITEM:	20653	REV.	NEW

Section 5. Health Hazard Data**Primary Routes of Entry:** Inhalation Skin Absorption Ingestion Eyes**Potential Health Effects:**

Eye Contact: Liquid and vapor may cause mild to severe eye irritation. Splashes may cause temporary pain and blurred vision.

Skin Contact: Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns. Avoid contact with rashes or open sores.

Inhalation: May cause irritation to mucous membranes of the upper respiratory tract. Inhalation of propellant may cause headache, drowsiness, and inability to concentrate, or asphyxiation by oxygen displacement.

Ingestion: May irritate digestive tract and cause intestinal discomfort. May cause depression of Central Nervous System.

Chronic Effects: None Known.

Emergency First Aid Procedures:

Eye Contact: Irrigate with flowing water immediately and continuously for up to 15 minutes. Consult medical personnel if irritation persists.

Skin Contact: Flush with plenty of tepid water for at least 15 minutes. Treat for frostbite, if necessary, by gently warming area. Consult physician if irritation persists. Launder contaminated clothing before reuse.

Inhalation: If ill effects occur, remove to fresh air. If breathing has stopped, perform artificial respiration. Seek medical attention as needed.

Ingestion: DO NOT INDUCE VOMITING! Contact Poison Control Center immediately.

Note to Physician: No specific antidote. Treat symptomatically. Inhalation hazard. Because inhalation of propellant may cause disturbance of cardiac rhythm, catecholamine drugs, such as epinephrine, should only be used with special caution in situations of emergency life support.

Section 6. Control and Protective Measures**Respiratory Protections (Specific Type):**

Follow OSHA respirator regulations (29 CFR 1910.134). If necessary, wear an SCBA.

Ventilation to be Used:

Provide general or local exhaust ventilation systems to maintain airborne concentration of hazardous materials below OSHA PELs (Sec. 2).

Personal Protective Equipment:

As necessary, wear protective gloves, boots, aprons, and gauntlets. Wear protective eyeglasses or safety goggles per OSHA regulations (29 CFR 1910.133)

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Body Drench Quick Tan**DATE:** 12/8/2003**ITEM:** 20653**REV.** NEW

Section 7. Precautions for Safe Handling and Use / Leak Procedures

Steps to be Taken if Material is Spilled or Released:

For small spills or leaks, contain spill with inert material; sweep up, and place in a disposal container. For large spills, dike far ahead of spill for later disposal. Disperse vapors with water spray. Do not release into sewers or water-ways.

Waste Disposal Methods:

Disposal requirements are dependent on hazard classification and will vary by location and the type of disposal selected. All local, state, and federal regulations concerning health and pollution be reviewed to determine approved disposal methods.

Precautions to be taken in Handling and Storing:

Practice good personal hygiene after handling this product. Protect containers from physical damage, shield them from direct sunlight, and store in cool, dry area.

DOT Transportation Information (49 CFR 172.101):

Shipping Name: CONSUMER COMMODITY

Hazard Class: ORM-D

UN/NA Number: -----